	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	261	(gary near2 anderson).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:02
2	BRS	L2	477	(david near2 bailey).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 16:41
3	BRS	L3	56	(rudolf near2 keller).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:02
4	BRS	L4	2	(lacey near2 knipfer).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 16:57
5	BRS	L5	56	(1 2 3 4) and @pd>"20060623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 16:43
6	BRS	L6	8	5 and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 16:46
7	BRS	L7	5	6 and (length speed rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 16:47
8	BRS	L8	32	(5 not 6) and (length speed rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:04
9	BRS	L9	16	(5 not (6 8))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 16:53
10	BRS	L10	8	(diane near2 knipfer).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 16:57
11	BRS	L11	214	(peter near2 keller).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:03
12	BRS	L12	213	11 not 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:03

10/675,678

3/13/07, EAST Version: 2.0.3.0

| 13 | BRS | L13 | 1 | 11 and 3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2007/03/13 17:03 |

	Type	L. #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	180	(12 not 13) and @ad<"20030930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:11
15	BRS	L15	49	14 and (length speed rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:12
16	BRS	L16	131	14 not 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:07
17	BRS	L17	33	12 not (14 13)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:11
18	BRS	L18	13	17 and (length speed rate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:14
19	IS&R	L19	10407	((710/8,10,15,16,19,29,36,60,100,104,300,313) or (713/1,100)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:16
20	IS&R	L20	2936	(710/2,62-64,72-74).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:16
21	BRS	L21	910	(19 and 20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:17
22	BRS	L22	12433	(19 20)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:17
23	BRS	L23	3	((cable wire bus link) near3 (length distance)) with ((rate speed) near3 effective) with (channel port pin interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:27
24	BRS	L24	0	((cable wire bus link) near3 (length distance)) same ((rate speed) near3 effective) same (channel port pin interface) same (configure configured configuring configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:29
25	BRS	L25	908	((cable wire bus link) near3 (length distance)) and ((rate speed) near3 effective) and (channel port pin interface) and (configure configured configuring configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L26	1	21 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:32
27	BRS	L27	17	(22 and 25) not 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 17:33
28	BRS	L28	183	((cable wire bus link) near3 (length distance)) and ((rate speed) near3 effective) and (channel port pin interface) and (reconfigure reconfigured reconfiguring reconfiguration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:09
29	BRS	L29	64	((cable wire bus link) near3 (length distance)) and ((rate speed) near3 effective) and (channel port pin interface) and (re-configure re-configured re-configuring re-configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:10
30	BRS	L30	0	((cable wire bus link) near3 (length distance)) with ((rate speed) near3 effective) with (channel port pin interface) with (reconfigure reconfigured reconfiguring reconfiguration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:06
31	BRS	L31	0	((cable wire bus link) near3 (length distance)) same ((rate speed) near3 effective) same (channel port pin interface) same (reconfigure reconfigured reconfiguring reconfiguration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:06
32	BRS	L32	0	((cable wire bus link) near3 (length distance)) with ((rate speed) near3 effective) with (channel port pin interface) with (re-configure re-configure re-configured re-configuring re-configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:06
33	BRS	L33	0	((cable wire bus link) near3 (length distance)) same ((rate speed) near3 effective) same (channel port pin interface) same (re-configure re-configured re-configuring re-configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:07
34	BRS	L34	0	(28 29) and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:07
35	BRS	L35	2	(28 29) and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:07

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	1269	((cable wire bus link) near3 (length distance)) and ((rate speed) near3 effective) and (channel port pin interface) and (set setting change changed changing reset re-set restting re-setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:30
37	BRS	L37	1	21 and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:10
38	BRS	L38	20	22 and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:11
39	BRS	L39	19	38 not 37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:11
40	BRS	L40	0	((cable wire bus link) near3 (length distance)) with ((rate speed) near3 effective) with (channel port pin interface) with (set setting change changed changing reset re-set restting re-setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:31
41	BRS	L41	23	((cable wire bus link) near3 (length distance)) same ((rate speed) near3 effective) same (channel port pin interface) same (set setting change changed changing reset re-set restting re-setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:32
42	BRS	L42	3	((cable wire bus link) near3 (length distance)) with ((rate speed)) with (channel port pin interface) with (configure configured configuring configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:36
43	BRS	L43	0	((cable wire bus link) near3 (length distance)) with ((rate speed)) with (channel port pin interface) with (reconfigure reconfigured reconfiguring reconfiguration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:36
44	BRS	L44	0	((cable wire bus link) near3 (length distance)) with ((rate speed)) with (channel port pin interface) with (re-configure re-configured re-configuring re-configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:37
45	BRS	L45	71	((cable wire bus link) near3 (length distance)) with ((rate speed)) with (channel port pin interface) with (set setting change changed changing reset re-set resetting re-setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/03/13 18:38